

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
7 July 2005 (07.07.2005)

PCT

(10) International Publication Number
WO 2005/062175 A3

(51) International Patent Classification⁷: **G06F 9/54**, 9/44

Road, Whitton, Middlesex TW2 7BV (GB). STEWART,
Donald, MacLeod [GB/GB]; 93 Wolverton, Alvey Street,
Walworth, London SE17 2AE (GB).

(21) International Application Number:

PCT/GB2003/005662

(74) Agent: KENRICK, Mark, Lloyd; Marks & Clerk, 83-85
Mosley Street, Manchester M2 3LG (GB).

(22) International Filing Date:

23 December 2003 (23.12.2003)

(81) Designated States (*national*): CA, US.

(25) Filing Language: English

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(26) Publication Language: English

(88) Date of publication of the international search report:

30 March 2006


(71) Applicant (for all designated States except US): **CORI-ZON LIMITED** [GB/GB]; 119-121 Middlesex Street, London E1 7JF (GB).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(72) Inventors; and

(75) Inventors/Applicants (for US only): **VAN DER SANDEN, Edwin, Wilhelmus, Petrus** [NL/GB]; 503 Brody House, Strype Street, London E1 7LQ (GB). **VALTCHEV, Plamen, Inavov** [BG/GB]; 146a Nelson

(54) Title: METHOD AND APPARATUS FOR COMPOSITE USER INTERFACE CREATION



(57) Abstract: A method for directing messages between a composite user interface and at least one source application. A message is to be directed to a predetermined set of services, each service executes a command specified by the message and the message comprises details of the predetermined set of services. Each service in the predetermined set of services uses said details to determine whether the message should be sent to another service, and if it is determined that the message should be sent to another service transmits the message to an appropriate service.